CZECH MYCOLOGY

FORMERLY ČESKÁ MYKOLOGIE

Publication of the Czech Scientific Society for Mycology

VOLUME 50
(1997–1998)

CABI BIOSCIENCE
EGHAM
16 SEP 1998

EDITORIAL BOARD

Editor-in-Chief
ZDENĚK POUZAR (Praha)

Managing editor
JAROSLAV KLÁN (Praha)

VLADIMÍR ANTONÍN (Brno)
OLGA FASSATIOVÁ (Praha)
ROSTISLAV FELLNER (Praha)
JOSEF HERINK (Mnichovo Hradiště)
ALEŠ LEBEDA (Olomouc)
JIŘÍ KUNERT (Olomouc)
LUDMILA MARVANOVÁ (Brno)
PETR PIKÁLEK (Praha)
MIRKO SVRČEK (Praha)

PRAHA 1998

CONTENTS

ABDEL-MALLEK A. Y., MAZEN M. B., ALLAM A. D. and HASHEM M.: Specific responses of some phytopathogenic fungi to fungicides 35

ANTONÍN V.: Jiří Moravec fifty-five years old 241

ANTONÍN V. and NEVILLE P.: Rhodocollybia giselae, a new species from the Mediterranean region in Europe 181

BACIGÁLOVÁ K.: Species of Taphrina on Betula in Slovakia 107

DIGHE S. and KULKARNI S. M.: Revival of Oyster mushroom (Pleurotus spp.) strains after mineral oil preservation 185

ÉRSEK T., ENGLISH J. T. and SCHOELZ J. E.: Triparental species hybrids from fused zoospores of Phytophthora 13

HOLEC J.: First records of Pholiota subochracea and Pholiota elegans in the Czech Republic 45

– The taxonomy of Pholiota aurivella and Pholiota adiposa – a return to Batsch and Fries 201
(with coloured plate of *Pholiota aurivella* in No. 4, p. 325)

KOCOURKOVÁ-HORÁKOVÁ J.: Records of new, rare or overlooked lichens from the Czech Republic 223

– Distribution and ecology of the genus Thelocarpon (Lecanorales, Thelocarpaceae) in the Czech Republic 271

KOTLABA F.: Some uncommon or rare polypores (Polyporales s.l.) collected on uncommon hosts 133

MARVANOVÁ L., FISHER P. J., DESCALS E. and BÄRLOCHER F.: Fontanospora fusiramosa sp. nov., a hyphomycete from live tree roots and from stream foam ... 3

MORAVEC J.: Discomycetes of Madagascar – I. Phillipsia ranomafanensis sp. nov. and ascospore sculpture of Cookeina colensoi proved by SEM (Discomycetes, Pezizales, Sarcoscyphaceae) 21

– Key to the species of Scutellinia subgen. Geneosperma (Rifai) comb. et stat. nov. (Discomycetes, Pezizales, Pyronemataceae) 85

– Taxonomic revision of the genus Cheilymenia – 6 Cheilymenia polaripustulata sp. nov. – a new species of the section Striatisporae 189

NASSER L. A. and ABDEL-SATER M. A.: Fungi associated with sheep hairs in Saudi Arabia 99

OSTRÝ V., RUPRICH J. and KOŽÍŠEK J.: Determination of toxigenic Fusarium spp. in the domestic wheat – using the ICFM methodological recommendation 313

PAULECH P., ZLINSKÁ J. and SZITTAYOVÁ S.: Anthracoidea michelii and Thecaphora affinis in Slovakia 119

PIECKOVÁ E. and JESENSKÁ Z.: The effect of chloroform extracts of micromycete biomass on the movement of tracheal cilia in one-day old chickens in vitro ... 57

POUZAR Z.: Fifty years of our Journal 1

– Dr. František Kotlaba septuagenarian 143

RÉBLOVÁ M.: Revision and reclassification of some Chaetosphaeria species 73

– A new Chaetosphaeria with a Dictyochaeta anamorph 151

Revision of three Melanomma species described by L. Fuckel 161

[illegible] antifungal activity of selected fungicides in treated wood [illegible]: Activity against moulds 249

– Loss of antifungal activity of selected fungicides in treated wood due to natural ageing. Part 2: Activity against wood-destroying fungi 259
STIJVE T.: Close encounters with Clathrus ruber, the latticed stinkhorn 63
ŠAŠEK V., NOVOTNÝ Č. and VAMPOLA P.: Screening for efficient organopollutant fungal degraders by decolorization 303
ŠIMONOVIČOVÁ A.: The occurrence of the rare species Circinella umbellata (Mucorales) 245
TONCHEVA-PANOVA T. G.: Identification of a fungal contaminant in a culture of Dunaliella salina 127
Bookreview (T. Stijve) 71
(A. Lebeda) 324
Contents and index of generic and specific names of fungi Vol. 50 (1997–1998) (J. Landa)

New taxa and new combinations

New species

Calonectria rajasthanensis Réblová 74 – *Chaetosphaeria montana* Réblová 153 – *Cheilymenia polaripustulata* J. Moravec 192 – *Eriosphaeria subtomentosa* Réblová 75 – *Fontanospora fusiramosa* Marvanová, Fisher et Descals 4 – *Phillipsia ranomafanensis* J. Moravec 23.

New combinations

Chaetosphaeria aterrima (Fuckel) Réblová 165 – *Pseudotrichia xanthotricha* (Berk. et Broome) Réblová 78 – *Scutellinia laevispora* (Korf et Zhuang) J. Moravec 89 – *Scutellinia* subg. *Geneosperma* (Rifai) J. Moravec

---

Addenda to the Index of generic and specific names of fungi Vol. 49

New species

Antrodiella faginea Vampola et Pouzar 25 – *Antrodiella farinacea* Vampola et Pouzar 29 – *Antrodiella thompsonii* Vampola et Pouzar 27.

A – *Absconditella 282, 295 – Acarospora 290 – acetabulum, Parmelia 234 – Acremonium 60, 104, 129 – adscendens, Endocarpon 231 – adiposa, Pholiota 202, 204, 205, 208, 209, 211, 212, 214–219 – adiposus, Agaricus 202–205, 214 – adusta, Bjerkandera 304, 307, 308, 310 – affinis, Thecaphora 119, 122–124 – africana, Chaetosphaeria 74, 81, 82 – albicans, Candida 102, 104 – albidum, Thelocarpon 276, 278 – alni, Phaeolus 305, 307, 308, 310 – alpina, Humaria 199 – Alternaria 60, 100 – alternata, Alternaria 36–40, 42, 101, 102 – alternibrachiata, Fontanospora 3, 9 – alutaceus, Aspergillus 102 – ambigua, Parmeliopsis 230 – amstelodami, Aspergillus 252 – Anthracoidea 122 – Antromycopsis 187, 188 – aotearoae, Melanochaeta 82 – appendiculata, Humaria 89 – appendiculata, Lachnea 89 – applanatum, Ganoderma 304, 308 – aphtosa, Peltigera 272, 285 – archeri, Anthurus 66–68 – arnoldiana, Bacidina 228, 229 – Arthrorhapis 280 – Articulospora 10 – aspera, Circinella 246 – aspergilloides, Chaetosphaeria 152, 168 – Aspergillus 100, 101, 104 – asterella, Buellia 229, 230 – aterrima, Chaetosphaeria 152, 164, 165–169 – aterrima, Melanomma 161, 164–166, 168 – aterrima, Zignoella 165 – auctumnalis, Taphrina 113 – aurantiacus, Thermoascus 103, 104 – aurantiogriseum, Penicillium 103 – aurivella, Pholiota 202, 204–214, 217–219, No. 4, p. 325 – aurivelloides, Pholiota 211 – aurivellus, Agaricus 202–205, 207, 208, 212, 218 – autumnalis, Galerina 72 – avenaceum, Fusarium 318–321.**

B – *Bacidina 228 – badius, Polyporus 138 – Baeomyces 280 – balsamea, Postia 138 – betulae, Exoascus 113 – betulae, Taphrina 107, 112, 113, 115–117 – betulina, Taphrina 107–114, 117 – betulinus, Exoascus 109 – biforme, Trichaptum 141 – bitteri, Hypogymnia 235 – botryoides, Micarea 233 – botryoideum var.minutum, Chloridium 77 – botrytis, Ulocladium 103 – bracteata, Fulgensia 229 – bramleyi, Chaetosphaeria 152 – brevicaulis, Scopulariopsis 103 – brevispora, Chaetosphaeria 152 – brumptii, Scopulariopsis 103, 104 – butyracea, Rhodocollybia 181, 184 – butyracea f. butyracea, Rhodocollybia 184 – Byssosphaeria 73, 81.**

C – *cactorum, Phytophthora 19, 41 – caesia, Menispora 162, 164, 170, 172, 173, 174 – caesia, Physcia 226 – calcareum, Hysterangium 67 – calcicola, Xanthoria 237 – callimorpha, Chaetosphaeria 152, 153, 155, 157, 158 – callimorpha, Sphaeria 155 – Calonectria 73, 75 – campestris, Lecanora 233, 238 – candidus, Aspergillus 39, 60 – canescens, Diplioica 230, 231 – caninus, Mutinus 67 – capsici, Phytophthora 14–19 – carmichaelii, Chrysosporium 102, 104 – carneolutea, Schizopora 140 – carnicolor, Phillipsia 27, 29 – caryae, Aporpium 134 – Catenularia 152 – cavicola, Phellinus 145 – Ceratosphaeria 162, 163 – cerifera, Pholiota 207, 208, 213, 218 – ceriferus, Agaricus 208, 213, 218 – Chaenotheca 287 – Chaetopsis 152 – Chaetosphaeria 73, 77, 82, 151–153, 155, 158, 163–165, 177, 178 – Chalara 82, 152 – Cheilymenia 87, 189, 190, 197, 198, 214 – chioneus, Tyromyces 306, 307, 309, 310 – chlamydosporum, Fusarium 319, 321 – Chloridium 151, 152 – chloroconia, Chaetosphaeria 152 – chloroticula, Bacidina 228 – chrysogenum, Penicillium 103, 104 – Chrysosporium 100–102 – chrysosporium, Phanerochaete 307 – chudei, Kompsoscypha 29 – chudei, Plectania 29 – chudei, Sarcoscypha 29 – ciliaris, Anaptychia 226 – ciliata, Peziza 199 – cinerea, Botrytis 41 – Cintractia 122 – Circinella 245, 247 – circinelloides, Mucor 102, 104 – citrinella, Cheilymenia 190, 192 – citrinum, Penicillium 103, 104 – citrophthora, Phytophthora 14–19 – Cladonia 234, 282, 287, 295, 298 – Cladosporium 59, 60, 127 – Clathrus 64–66, 69, 70 – clavaeforme, Chloridium 162 – coelestina, Chaetosphaeria 81 – coffeae, Chaetosphaeria 74, 81, 82 – colensoi, Cookeina 29, 32 – colensoi, Peziza 32 – compressulum, Phaeocalicium 235 – concolor, Can-**

delaria 290 – confragosa, Daedaleopsis 304, 308, 310 – conica, Circinella 246 – conica, Melanomma 161, 164, 165, 175, 176 – conica, Zignoella 175 – conizaeoides, Lecanora 287, 290 – Conocybe 71 – conspersa, Xanthoparmelia 232 – contiguus, Phellinus 305, 308 – controversa, Tilletia 119 – Cookeina 22, 28, 31, 32 – coprinaria, Cheilymenia 192 – coprophila, Psilocybe 71 – coralloeides cancellatus, Fungus 63 – cordovensis, Peziza 28, 31 – coriaceum, Hysterangium 67 – corticola, Oxyporus 134 – corylophilum, Penicillium 103 – costaricensis, Phillipsia 25–27, 29, 30 – crenulata, Humaria 27 – crenulata, Phillipsia 26, 27 – croceus, Aurantiporus 304, 307, 308, 310 – crustulosa, Porpidia 298 – culmorum, Fusarium 319–321 – cuneiformis, Catenularia 152 – cupulifera, Chaetosphaeria 152 – Custingophora 152, 164, 166, 168–171 – cyanescens, Psilocybe 72 – cyaneum, Thelocarpon 272 – cyclopium, Penicillium 253 – Cylindrocladium 75 – cyrtella, Lecania 282, 283 – cystidiosus, Pleurotus 187, 188.

D *– dalmeniensis, Cheilymenia 191 – dalmeniensis, Peziza 191 – Debaryella 162 – delutula, Absconditella 224, 276, 290, 291 – demissa, Lecanora 232 – denigrata, Micarea 287, 290 – depressulum, Thelocarpon 273 – Dictyochaeta 151, 152–158 – didactyla, Peltigera 226 – digitata, Cladonia 287 – dingleyae, Chaetosphaeria 152, 153 – Discostroma 163 – disporum, Rhizocarpon 232 – distorta, Physconia 235 – dochmia, Aurophora 31 – dochmia, Phillipsia 31 – domingensis, Phillipsia 25–27, 29, 31, 32 – dryinus, Pleurotus 187, 188 – duclauxii, Penicillium 103, 104.*

E *– eccentrica, Fontanospora 3, 8, 9 – eccentricum, Tricladium 3, 10 – elegans, Pholiota 45, 50–54 – Endococcus 231 – Endoxyla 162 – enteroxantha, Physconia 235 – eocenicus, Trametites 145 – eous, Pleurotus 187 – epibolum, Thelocarpon 229, 272–273, 275–282, 285, 290, 295, 296 – epibolum f. longisporum, Thelocarpon 272 – epibolum var. epibolum, Thelocarpon 277, 278, 280 – epibolum var. epithallinum, Thelocarpon 272, 280, 285 – epigaea, Buellia 229 – Epigloea 232 – epilithellum, Thelocarpon 272, 290, 293 – equiseti, Fusarium 320 – erectus, Phellinus 136 – Eriosphaeria 73, 77 – eryngii, Pleurotus 187, 188 – euosmus, Pleurotus 187 – euploca, Peltula 232 – Exarmidium 163 – expansa B, Phillipsia 32 – expansum, Penicillium 41.*

F *– fallax, Melanomma 164, 165, 175 – fallax, Zignoella 162, 175 – farinacea, Ramalina 235 – fastigiata, Ramalina 235 – filipendula, Usnea 235 – flabellatus, Pleurotus 187, 188 – flavus, Aspergillus 58–61, 101, 102 – flavus var.columnaris, Aspergillus 102 – fleischeriana, Ciliaria 89 – fleischeriana, Lachnea 89 – flexuosa, Trapeliopsis 224, 276, 290 – foenisecii, Panaeolina 71 – foliculata, Lachnea 89 – foliculocystidiatus, Oligoporus 145 – fomentarius, Fomes 134, 280, 283, 287, 288 – Fontanospora 3, 9 – fractipes, Spongipellis 140 – fragariae, Phytophthora 38 – fraxinea, Perenniporia 136 – fraxinea, Ramalina 235 – frequentans, Penicillium 39 – frondosa, Grifola 304, 307, 308, 310 – frondosum, Sympodiocladium 10 – fujikuroi, Gibberella 102, 104 – fumigatus, Aspergillus 59, 60, 101, 102 – Fusarium 58–60, 314–322 – fuscocinerea, Schaereria 231 – fusiramosa, Fontanospora 4–8, 9 – fusispora, Acrophialophora 102, 104.*

G *– Galerina 71, 72 – garovaglii, Lecanora 232 – Geneosperma 86, 87 – geneospora, Lachnea 89 – geneospora, Peziza 86, 87 – geneospora, Scutellinia 86–89, 93, 95, 97 – genoesporum, Geneosperma 86, 87, 89 – geographicum, Rhizocarpon 232 – geophana, Steinia 282, 290, 291, 295 – georgii, Chrysosporium 102, 104 – giselae, Rhodocollybia 182–184 – glabra, Parmelia 234, 235 – glauca, Chaetosphaeria 164, 165, 175 – glauca, Menispora 163, 164, 172, 175, 176 – glauca, Platismatia 230 – glaucus, Aspergillus 58–60 – Gliocladium 61 – globosum, Chaetomium 102, 253 – gloeocapsa, Bryophagus 229, 282 – glomerata, Phoma 103, 104 – Gonytrichum 152 – gothica, Polyblastia 272 –*

graminearum, Fusarium 318–321 – granulosa, Trapeliopsis 290, 295 – grisea, Arthrorhaphis 229, 280, 282–284 – guatopoensis, Pseudotrichia 78 – Gymnopilus 71.

H – *halodes, Drechslera 36–40, 42 – hartigii, Phellinus 305, 307, 308, 310 – hartmannii, Phillipsia 27 – hemipsila, Chaetosphaeria 81 – hemipsila, Lasiosphaeria 81 – hemipsila, Melanochaeta 74, 76, 81, 82 – hemipsila, Sphaeria 81 – Herpotrichia 81 – heteroclita, Pholiota 213 – hiemalis, Mucor 102 – hirta, Usnea 235 – hoffmanii, Aspicilia 226 – horridula, Eriosphaeria 77 – hudsoniana, Omphalina 234, 278, 280, 282–284, 296 – humicola, Alternaria 39.*

I – *ibericus, Pilatoporus 306, 307, 309, 310 – icmalea, Placynthiella 276, 282, 287, 288, 290, 292, 295, 297 – icmalea, Saccomorpha 224 – igniarius, Phellinus 305, 307, 308, 310 – imbricatus, Sarcodon 209 – immersa, Chaetosphaeria 74, 75, 77 – immersa, Sphaeria 77 – impressellum, Thelocarpon 272, 273, 278, 280, 285, 300 – impudicus, Phallus 64–68 – incarnata, Belonia 229, 282 – indica, Cookeina 32 – indicum, Chrysosporium 101, 102 – innumera, Chaetosphaeria 77, 152 – innumera, Sphaeria 151 – Inocybe 71 – intermediellum, Thelocarpon 272, 273, 275, 277–279, 286–288 – intermixtulum, Thelocarpon 272, 285 – involuta, Trapelia 290.*

J – *jahnii, Pholiota 214, 215, 217, 218.*

K – *keratinophilum, Chrysosporium 102 – Kompsoscypha 29 – Kylindria 152.*

L – *lacrymans, Serpula 260, 262–263, 265–269 – lacteus, Irpex 134, 135, 305, 307, 308, 310 – laevispora, Scutellinia 87, 89, 93–97 – laevisporum, Geneosperma 86 – lagerheimii, Taphrina 109 – Lasiosphaeria 78 – latemarginatus, Oxyporus 135 – laureri, Thelocarpon 224, 232–234, 272–278, 280, 288–290, 292 – lemuriensis, Cheilymenia 190, 197 – lenta, Pholiota 54 – lentomita, Chaetosphaeria 77, 152 – Lentomita 162 – Lepraria 282, 287, 290 – Leproloma 226 – leucophlebia, Peltigera 272 – lichenicola, Thelocarpon 272, 273, 275–280, 282, 283, 293–295, 299 – lignicola, Absconditella 224, 295–297 – lilacinus, Paecilomyces 103 – limonella, Pholiota 204, 208, 211, 217 – lipsiense, Ganoderma 134 – lithinella, Micarea 233, 290 – loxodes, Melanelia 232 – lubrica, Pholiota 54 – lucidum, Ganoderma 304, 308, 310.*

M – *macchiae, Thelocarpon 272 – mammilata, Pseudotrichia 78 – Marcelleina 241 – maroccanus, Pilatoporus 145 – Massarina 80, 163 – medioincrassata, Epigloea 232 – melaena, Micarea 287 – Melanochaeta 73, 81, 82 – Melanomma 161, 162, 164, 165 – Melanopsamma 165 – membranaceum, Leproloma 232 – Menispora 151, 152 – metamorphosa, Ceriporia 304, 307, 308, 310 – Micarea 225, 287 – michelii, Anthracoidea 119–122 – milleri, Pleurotus 187 – minima, Fontanospora 3, 9, 10 – mirabile, Sporoschisma 82 – moenium, Aspicilia 227 – moniliforme, Fusarium 36–41, 43 – montana, Chaetosphaeria 153–158 – Moravecia 242 – moravecii, Octospora 242 – moravecii, Peziza 242 – moreliae, Helicostylum 246 – mutabilis, Pseudotrichia 78, 80 – Mycoacia 305, 307, 308, 310 – myriocarpa, Chaetosphaeria 162.*

N – *nanodes, Stereocaulon 230 – Nanoscypha 29 – natalensis, Psilocybe 71 – nematolomoides, Dryophila 46 – nematolomoides, Pholiota 46–50 – nephriticum, Hysterangium 67 – nicotianae, Phytophthora 14–19 – nidulans, Aspergillus 58–60 – nidulans, Emericella 102 – nidulans, Hapalopilus 304, 307, 308, 310 – nidus-pici, Inonotus 304, 308, 310 – niger, Aspergillus 39, 59, 60, 102, 252 – nigricans, Phellinus 305, 307, 308, 310 – nivale, Fusarium 320 – notatum, Penicillium 39 – novaezelandiae, Chaetosphaeria 152.*

O – *obliquus, Inonotus 305, 307, 308, 310 – ocellatum, Thelomma 236 – ochraceus, Aspergillus 59, 60 – odoratus, Osmoporus 295, 297 – oligotricha, Cheilymenia 190, 191,*

198 – oligotricha, Peziza 191 – olivaceum, Thelocarpon 273, 275, 278, 279, 298, 300 – opertum, Thelocarpon 272, 276 – Ophionectria 75 – opuntiella, Agonimia 232 – opuntiella, Phaeophyscia 232 – orbicularis, Phaeophyscia 232 – oryzae, Aspergillus 102, 104 – ostioloidea, Zignoella 162 – ostreatus, Pleurotus 187, 306, 307, 309, 310 – ostreatus var. floridanus, Pleurotus 187 – otthii, Gauteria 67 – ovoidea, Chaetosphaeria 152, 163–165, 172, 174, 175, 177 – ovoidea, Melanomma 162, 175 – ovoidea, Sphaeria 175 – ovoidea, Zignoella 176 – oxalicum, Penicillium 103, 104 – oxysporum, Fusarium 36–41, 43, 318–321 – oxysporum f. sp. lycopersici, Fusarium 130 – ozeensis, Articulospora 9.

P – *pachnostoma, Pseudotrichia 78 – pachytrachelum, Chloridium 77 – pallidum, Thelocarpon 273, 279, 299, 300 – Panaeolus 71 – pannicola, Chrysosporium 102, 104 – papillata, Melanomma 162, 164, 170, 174 – papillata, Zignoella 164, 170, 174 – parasitica, Phytophthora 14 – parasiticus, Aspergillus 59 – parietina, Xanthoria 237 – Parmelia 234 – patelliformis, Chaetosphaeria 74, 80 – pediseta, Cheilymenia 190, 192 – pediseta, Lachnea 192 – pediseta, Sepultaria 192 – Peltigera 272, 280, 284 – Penicillium 58, 59, 61, 100, 104 – perpusillus, Endococcus 231 – phaeophora, Phialophora 163 – Phialophora 152, 163, 169, 170, 172, 173, 175 – Phillipsia 22, 25, 26, 28–31 – Pholiota 45, 49, 54, 201, 202, 205, 208 – phymatodeus, Scutellinia 95 – physodes, Hypogymnia 230, 287, 290 – Phytophthora 13, 16, 19 – pilatii, Phellinus 305, 308, 310 – piluliferum, Botryotrichum 102, 104 – pini, Phellinus 305, 308, 310 – pini-cubensis, Antrodia 145 – piriformis, Mucor 41 – Pleurotus 185, 186 – Pluteus 71 – poae, Fusarium 318–321 – pocillum, Cladonia 226 – polaripustulata, Cheilymenia 192–197 – polyporoides, Phillipsia 28, 31, 32 – pomaceus, Phellinus 305, 308, 310 – pomiformis, Chaetosphaeria 165 – pomiformis, Melanomma 162 – pouzarii, Phellinus 145 – prasina, Micarea 282, 287, 295 – prasinellum, Thelocarpon 272, 274, 290, 291, 293 – proliferatum, Fusarium 319, 321 – pseudistera, Lecanora 231–233, 237, 238 – pseudocarpus, Endococcus 231, 232 – pseudogranulosa, Trapeliopsis 236, 237 – Pseudopithyella 29 – pseudopunctatus, Phellinus 136, 137, 306, 307, 308, 310 – pseudotrechispora, Scutellinia 95 – Pseudotrichia 74, 78, 80, 163 – Psilocybe 71, 72 – psorodeum, Endocarpon 231 – pulchriseta, Chaetosphaeria 152, 153, 155, 157, 158 – pullatula, Stenocybe 236 – pulmonarius, Pleurotus 187, 188 – pulviscula, Chaetosphaeria 152, 162, 164, 170, 172, 173, 175 – pulviscula, Melanomma 170 – pulviscula, Psilosphaeria 170 – pulviscula, Sphaeria 170 – pulviscula, Zignoella 162, 170 – punctata, Amandinea 290 – punctatus, Phellinus 306, 308, 310 – purpuratus, Gymnopilus 71 – pusillum, Endocarpon 226 – pygmaea, Chaetosphaeria 163 – pyrochroa, Calonectria 75.*

R – *racemosum, Syncephalastrum 103 – racemosus, Mucor 102, 104 – radiatus, Inonotus 305, 307, 308, 310 – rajasthanensis, Calonectria 74, 76 – rajasthanensis, Chaetosphaeria 74, 75 – ranomafanensis, Phillipsia 23–27, 29, 30 – reesii, Gymnoascus 102, 104 – rehmiana, Chaetosphaeria 74, 81, 82 – rehmiana, Lasiosphaeria 81 – reticulatum, Fusarium 318, 319, 321 – revoluta, Parmelia 235 – rhamni, Phellinus 138 – Rhamphoria 162 – Rhodocollybia 181 – rhodomphala, Byssosphaeria 74, 79, 80 – rickii, Inonotus 134 – ripartii, Lecanora 233 – robustum, Thelocarpon 278 – robustus, Phellinus 136, 306, 309 – roseum, Trichothecium 103, 104 – roseus, Baeomyces 295 – ruber, Clathrus 63–68 – rubricatum, Hysterangium 67 – rufescens, Catapyrenium 226 – rufus, Baeomyces 229, 280, 282–284, 295, 298 – rugosum, Stereum 306, 307, 309, 310 – russula var.terrigena, Belonia 229.*

S – *Saccardoella 163 – saccardoii, Sporoschisma 82 – saccatus, Phallogaster 67, 68 – sajor caju, Pleurotus 187 – salicinus, Agaricus 207, 208 – saligna, Lecanora 290 – sambucinum, Fusarium 318, 320, 321 – samuiensis, Psilocybe 71 – Sarcoscypha 29 – sativus, Coch-*

liobolus 36–40, 42 – schiedermayeriana, Byssosphaeria 81 – schweinitzii, Phaeolus 305, 308, 310 – Scopulariopsis 104 – Scutellinia 86, 87, 95 – sedifolia, Toninia 226, 230 – semilanceata, Psilocybe 71 – semitectum, Fusarium 319–321 – sepincola, Cetraria 230 – shivapurense, Pleurotus 187 – sojae, Phytophthora 19 – solani, Fusarium 39, 318–321 – solani, Rhizoctonia 103, 104 – soralifera, Lecanora 230 – Sowerbyella 241 – sphagnorum, Absconditella 225 – sphinctrinoides, Didymella 238 – sphinctrinoides, Zwackhiomyces 231, 232, 237, 238 – Sporoschisma 82 – sporotrichoides, Fusarium 39, 318–321 – Sporotrichum 61 – spumeus, Spongipellis 306, 309 – spumosa, Pholiota 54 – squarroso-adiposa, Pholiota 212 – Stachybotrys 152, 165 – stercorea, Cheilymenia 198, 199 – stercorea, Peziza 199 – stercorea f. alpina, Cheilymenia 199 – stercorea f. stercorea, Cheilymenia 199 – stercorea var.citrinella, Lachnea 192 – stolonifer, Rhizopus 103 – stoloniferum, Hysterangium 67 – strasseri, Ahlesia 272, 296, 297 – strictum, Acremonium 102 – Stropharia 71 – stuntzii, Psilocybe 72 – subaurea, Lecanora 230 – subbalteatus, Panaeolus 71 – subcaesia, Postia 138 – subglabra, Umbilicaria 237 – submontana, Parmelia 235 – subochracea, Pholiota 45–50 – subochraceum, Hypholoma 46, 50 – subochraceum, Nematoloma 46 – subpurpurea, Phillipsia 29, 31 – subrudecta, Parmelia 235 – subtomentosa, Eriosphaeria 74–77 – sulcata, Parmelia 235, 290 – superellum, Thelocarpon 273, 276, 280, 299, 300 – sydowii, Aspergillus 102 – Sympodiocladium 10.

T – *tabacina, Hymenochaete 304, 308, 310 – talbotii, Chaetosphaeria 153 – Taphrina 107–109, 117 – Teichosporella 163 – tenax, Collema 226 – tenuis, Perenniporia 136 – tenuissima, Alternaria 102 – terreus, Aspergillus 58–60, 102, 104 – tetraspora, Cookeina 29 – tetraspora, Phillipsia 29 – Thecaphora 124 – theleboloides, Cheilymenia 190 – Thelocarpon 271–278, 280 – Thyridaria 163 – tiliacea, Parmelia 235 – Torula 61 – totaranuiensis, Scutellinia 86, 87, 90, 92, 93 – Trapelia 234, 290, 292 – Trematosphaeria 162, 163 – Trematostoma 162 – tremulae, Phellinus 306, 307, 309, 310 – Trichophaeopsis 95 – Trichosphaerella 78 – Trichosphaeria 78 – tricinctum, Fusarium 319, 321 – Tricladium 3 – tristicula, Agonimia 225, 226 – trogii, Trametes 140 – tropicum, Chrysosporium 101, 102 – tuberculosa, Pachykytospora 305, 308, 310 – turgida, Taphrina 109 – turgidus, Exoascus 109.*

U – *uliginosa, Placynthiella 287 – umbellata, Circinella 245–247 – umbellatus, Mucor 246 – umbellatus var.asperior, Mucor 246 – umbellifera, Omphalina 234 – umbilicata, Phillipsia 27 – umbrorum, Scutellinia 191.*

V – *variabile, Penicillium 103, 104 – variegatula, Lecidea 290, 292 – variotii, Paecilomyces 103, 104, 253 – venezuelae, Cookeina 32 – vermicularia, Eriosphaeria 77 – verrucaria, Myrothecium 103 – Verrucaria 280, 298 – versicolor, Aspergillus 59, 60 – versicolor, Coriolus 260 – versicolor, Trametes 260, 264–269, 291, 306, 307, 309, 310 – Vezdaea 282, 283, 295 – Vialaea 163 – viburnicola, Nectria 80 – viburnicola, Pseudotrichia 80 – viride, Trichoderma 35, 253 – vitellina, Candelariella 232, 290 – vitellina, Cheilymenia 190–192, 197, 198 – vitellina, Peziza 191 – vitellina sabulosa, Peziza 191.*

W – *wentii, Aspergillus 60.*

X – *Xanthoria 298 – xanthotricha, Chaetosphaeria 78 – xanthotricha, Pseudotrichia 74, 78–80 – xanthotricha, Sphaeria 78 – xestothele, Byssosphaeria 81.*

Z – *Zanclospora 152 – Zignoella 162, 163 – Zignoina 163 – Zwackhiomyces 238.*